A blurred background image showing a man in a white shirt and light-colored trousers walking from left to right, pulling a black rolling suitcase. He is in a brightly lit area with a prominent red wall and a doorway in the background.

Low temperature hydrobox for VRV

HXY-A

For high efficiency space heating and cooling

- › Air to water connection to VRV for applications such as underfloor, air handling units, low temperature radiators, ...
- › Leaving water temperature range from 5°C to 45°C without electric heater

HXY-A




HXY-A

Indoor unit		HXY		080A	125A
Cooling capacity	Nom.			8	12.5
Heating capacity	Nom.			9	14
Dimensions	Unit	HeightxWidthxDepth		890x480x344	
Weight	Unit			44	
Casing	Colour			White	
	Material			Precoated sheet metal	
Sound pressure level	Nom.			-	
Operation range	Heating	Ambient	Min.~Max.	°C	
		Water side	Min.~Max.	°C	
	Domestic hot water	Ambient	Min.~Max.	°CDB	
		Water side	Min.~Max.	°C	
Refrigerant	Type / GWP			R-410A / 2,087.5	
Refrigerant circuit	Gas side diameter			15.9	
	Liquid side diameter			9.5	
Water circuit	Piping connections diameter			G 1"1/4 (female)	
Power supply	Phase/Frequency/Voltage			1~/50/220-240	
Current	Recommended fuses			6~16	

Contains fluorinated greenhouse gases

Daikin Europe N.V. Naamloze Vennootschap · Zandvoordestraat 300 · 8400 Oostende · Belgium · www.daikin.eu · BE 0412 120 336 · RPR Oostende (Responsible Editor)



ECPEN15-249

02/15



The present leaflet is drawn up by way of information only and does not constitute an offer binding upon Daikin Europe N.V. Daikin Europe N.V. has compiled the content of this leaflet to the best of its knowledge. No express or implied warranty is given for the completeness, accuracy, reliability or fitness for particular purpose of its content and the products and services presented therein. Specifications are subject to change without prior notice. Daikin Europe N.V. explicitly rejects any liability for any direct or indirect damage, in the broadest sense, arising from or related to the use and/or interpretation of this leaflet. All content is copyrighted by Daikin Europe N.V.